

ETAS ETABR3

BR_XETK Interface Cable, MOLEX –
open wire (2fc-2c)

 Data Sheet

Copyright

The data in this document may not be altered or amended without special notification from ETAS GmbH. ETAS GmbH undertakes no further obligation in relation to this document. The software described in it can only be used if the customer is in possession of a general license agreement or single license. Using and copying is only allowed in concurrence with the specifications stipulated in the contract.

Under no circumstances may any part of this document be copied, reproduced, transmitted, stored in a retrieval system or translated into another language without the express written permission of ETAS GmbH.

© Copyright 2023 ETAS GmbH, Stuttgart

The names and designations used in this document are trademarks or brands belonging to the respective owners.

ETAS ETABR3 Data Sheet R02 EN – 11.2023

Contents

1	Introduction	4
1.1	View	4
2	Technical Data.....	5
2.1	Mechanical Dimensions	5
2.2	Connector to BR_XETK.....	5
2.3	Temperature Range.....	5
3	Ordering Information	6
4	Contact Information	7

1 Introduction

ETABR3 is a 100Mbit/S automotive Ethernet cable with a 2pin Molex connector to connect BR_XETK serial Interface with the ECU PCB..

1.1 View




Figure 1 View

2 Technical Data

2.1 Mechanical Dimensions




Figure 2 Mechanical Dimensions

2.2 Connector to BR_XETK




Figure 3 Connector Pin1 Marking

Pin Number	Color	Signal
1	White	AE-
2	Green	AE+

2.3 Temperature Range

Condition	Temperature
Operating Temperature	-40°C - +105°C


3 Ordering Information

Short Name	Order - Number
ETABR3	F 00K 111 964

4 Contact Information

Technical Support

For details of your local sales office as well as your local technical support team and product hotlines, take a look at the website: www.etas.com/hotlines



ETAS Headquarters

ETAS GmbH
Borsigstraße 24
70469 Stuttgart
Germany

Phone: +49 711 3423-0
Fax: +49 711 3423-2106
Internet: www.etas.com