


## 订货信息



1-以太网PC连接

2-电源

3-CAN和LIN连接

4-菊花链模块和电源

5-ETK连接

6-XETK连接

7.1-7.4-ES910 和 ES89x 总线接口模块的以太网连接

### 产品名称

### 长度

### 简称

### 订购号

ES910

快速原型及接口模块

ES910.3-A

F-00K-106-565

包括用于以太网PC连接 (CBE200-3) 和电源连接 (CBP120-2) 的电缆

ES910的可选择附件

### 1-以太网PC连接

以太网PC连接电缆1 Gbit/s, Lemo 1B FGE  
- RJ45 (10mc-8mc), 3 m

3.00 m  
9.84 ft

CBE200-3

F-00K-104-373



---


以太网PC连接电缆1 Gbit/s, Lemo 1B FGE 8.00 m  
-RJ45 (10mc-8mc), 8 m 26.25 ft CBE200-8 F-00K-104-374



## 2 - 电源

---

供电电缆, Lemo 1B FGJ - Banana (2mc-  
2mc), 2 m 2.00 m  
6.56 ft CBP120-2 F-00K-102-584



---

ES910的可选择附件

## 3 - CAN连接


---

CAN 接口电缆, Lemo 1B FGC - 2xDSUB  
(8mc-9fc+9mc), 2 m 2.00 m  
6.56 ft K106 F-00K-001-271




---

CAN Y型接口电缆, Lemo 1B FGC - Lemo  
0S PCA - LEMO 0S FFA (8mc- 2fc+2mc),  
2 m 2.00 m  
6.56 ft K107 F-00K-001-272




CAN 接口电缆, DSUB - Lemo 0S FFA (9fc-2mc), 3 m	3.00 m 9.84 ft	CBAC130-3	F-00K-103-780
--	-------------------	-----------	---------------


CAN ECU 适配器电缆, DSUB - Lemo 2B FGG (9fc-10mc), 3 m	3.00 m 9.84 ft	CBAC140.1-3	F-00K-103-783
--	-------------------	-------------	---------------




CAN接口线缆, DSUB - DSUB (9fc-9mc), 2 m	2.00 m 6.56 ft	CBCX130-2	F-00K-103-784
-------------------------------------	-------------------	-----------	---------------



CAN 接口电缆, OBDII J1962 - Lemo 1B FGC (16mc-8mc), 2m5	2.50 m 8.20 ft	CBAC150-2m5	F-00K-104-159
--	-------------------	-------------	---------------




CAN 120 Ω 终端电阻, 2xDSUB (9fc+9mc)		CBCX131.1-0	F-00K-103-786
-------------------------------------	--	-------------	---------------



### 3 - LIN连接


CAN、FlexRay和LIN接口Y-线缆, Lemo 1B FGC - 2xDSUB (8mc-9fc+ 9mc), 2 m	2.00 m 6.56 ft	CBCFI100.1-2	F-00K-106-893
--	-------------------	--------------	---------------



#### 4 - 以太网ES400连接和电源


以太网链连接和供电电缆, Lemo 1B FGL -  
Lemo 1B FGA - Banana (8fc-8mc+2mc),  
0m5

0.50 m	CBEP430.1-0m5	F-00K-104-928
1.64 ft		



以太网链连接和供电电缆, Lemo 1B FGL -  
Lemo 1B FGA - Safety Banana (8fc-  
8mc+2mc), 0m5

0.50 m	CBEP4305.1-0m5	F-00K-110-030
1.64 ft		



Ethercat线缆连接, Lemo 1B RJ45, 3 m

3.00 m	AS_CBEthercat.1-3	F-00K-106-954
9.84 ft		


#### 5 - ETK连接

ETK 接口电缆 100 Mbit/s, Lemo 1B FFG -  
Lemo 1B FFG (4mc-4mc), 3 m

3.00 m	CBM150-3	F-00K-102-556
9.84 ft		



ETK 接口电缆 100 Mbit/s, Lemo 1B FFG -	5.00 m	CBM150-5	F-00K-102-557
Lemo 1B FFG (4mc-4mc), 5 m	16.40 ft		



ETK 接口电缆 100 Mbit/s, Lemo 1B FFG -	10.00 m	CBM150-10	F-00K-102-553
Lemo 1B FFG (4mc-4mc), 10 m	32.81 ft		



## 6 - XETK连接

以太网连接电缆 1 GBit/s, Lemo 1B FGE -	3.00 m	CBE230-3	F-00K-105-757
Lemo 1B FGE (10mc-10mc), 3 m	9.84 ft		



以太网连接电缆 1 GBit/s, Lemo 1B FGE -	8.00 m	CBE230-8	F-00K-105-758
Lemo 1B FGE (10mc-10mc), 8 m	26.25 ft		



## 7 - ES910 和ES89x 总线接口模块的以太网连接

### 7.1 - ES89x 模块和适配器电缆的连接

以太网连接和供电电缆, Lemo 1B FGF -	0.45 m	CBE130-0m45	F-00K-102-748
Lemo 1B FGD (8mc-8mc), 0m45	1.48 ft		



以太网连接和电源线, Lemo 1B FGF -	3.00 m	CBE130-3	F-00K-102-587
Lemo 1B FGD (8mc-8mc), 3 m	9.84 ft		



### 7.2 - CBAE190 适配器电缆和ES910 PC端的连接

100 MBit/s ES910/ES89x 的RPI以太网连接  
 适配器电缆, Lemo 1B FGA - Lemo 1B PHG  
 (10mc-8fc), 0.3m


0.30 m  
 0.98 ft CBAE190-0m3 F-00K-109-902



### 7.3 - ES89x 模块和CBAE220适配器电缆的连接


1GBit/s以太网连接和电源电缆, Lemo 1B  
 FGM-Lemo 1B FGH (10fc-10mc) , 3m

3.00 m  
 9.84 ft CBE260.1-3 F-00K-109-446



1GBit/s以太网连接和电源电缆, Lemo 1B  
 FGM-Lemo 1B FGH (10fc-10mc) , 8m

8.00 m  
 26.25 ft CBE260.1-8 F-00K-109-447



### 7.4 - CBAE220适配器电缆和ES910 ECU端的连接

1 GBit/s ES910/ES89x 的RPI以太网连接适  
 配器电缆, Lemo 1B FGE - Lemo 1B PHM  
 (10mc-10mc), 0.3m

0.30 m  
 0.98 ft CBAE220-0m3 F-00K-109-903



我们可根据您的规格定制电缆。如您需要更多关于定制电缆的信息，请联系  
 您所在地区的ETAS销售代表。

